

Cable Tray Section




**Hot Dip Galvanized
Mill Galvanized
Aluminium
Stainless Steel
Powder Coated**





CABLE TRAYS - OUTSIDE RETURNED FLANGE



Item Code/ Part No.	Width(W) (mm)	Height (H) (mm)	Thickness (T) Light Duty (LD) (mm)	Thickness (T) Medium Duty(MD) (mm)	Thickness (T) Heavy Duty(HD) (mm)	Thickness (T) Extra heavy Duty(EHD) (mm)	Length(L) (Mtr)
CT-OF(ST) - 50	50	50	1.0	1.2	1.5	2.0	1.22
CT-OF(ST) - 100	100	50 / 75 / 100	1.0	1.2	1.5	2.0	
CT-OF(ST) - 150	150	50 / 75 / 100 / 150	1.0	1.2	1.5	2.0	
CT-OF(ST) - 200	200	50 / 75 / 100 / 150/200	1.0	1.2	1.5	2.0	
CT-OF(ST) - 250	250	50 / 75 / 100 / 150/200	1.0	1.2	1.5	2.0	
CT-OF(ST) - 300	300	50 / 75 / 100 / 150/200	1.0	1.2	1.5	2.0	
CT-OF(ST) - 350	350	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	2.44
CT-OF(ST) - 400	400	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	
CT-OF(ST) - 450	450	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	3.00
CT-OF(ST) - 500	500	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	
CT-OF(ST) - 550	550	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	
CT-OF(ST) - 600	600	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	Material Finish(F)
CT-OF(ST) - 650	650	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	
CT-OF(ST) - 700	700	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	
CT-OF(ST) - 750	750	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	
CT-OF(ST) - 800	800	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	HDG (Hot Dip Galvanized)
CT-OF(ST) - 850	850	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	
CT-OF(ST) - 900	900	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	MG (Mill Galvanized)
CT-OF(ST) - 1000	1000	50 / 75 / 100 / 150/200	1.5	2.0	2.0	2.0	
CT-OF(ST) - 1100	1100	50 / 75 / 100 / 150/200	1.5	2.0	2.0	2.0	ALU. (Aluminium)
CT-OF(ST) - 1200	1200	50 / 75 / 100 / 150/200	1.5	2.0	2.0	2.0	
							SS (Stainless Steel)
							PC (Powder Coating)

Ordering Guide :

CT-OF(ST) (W) (H) (T) (L) (F)


 Item Type Width Height Thickness Length Finish

Example :
 CT - OF (ST) - 300-50-1.5-2.44-HDG



CABLE TRAYS - INSIDE RETURNED FLANGE

Part No : CT - IF(ST)/W



Item Code/ Part No.	Standard Width(W) (mm)	French Type Width(W) (mm)	Height (H) (mm)	Thickness (T) Light Duty (LD) (mm)	Thickness (T) Medium Duty (MD) (mm)	Thickness (T) Heavy Duty (HD) (mm)	Thickness (T) Extra heavy Duty (EHD) (mm)	Length(L) (Mtr)
CT-IF(ST) - 50	50	CTG 1 (120)	50	1.0	1.2	1.5	2.0	1.22
CT-IF(ST) - 100	100			1.0	1.2	1.5	2.0	
CT-IF(ST) - 150	150			1.0	1.2	1.5	2.0	
CT-IF(ST) - 200	200			1.0	1.2	1.5	2.0	
CT-IF(ST) - 250	250	CTG 2 (218)	60	1.0	1.2	1.5	2.0	2.44
CT-IF(ST) - 300	300			1.0	1.2	1.5	2.0	
CT-IF(ST) - 350	350			1.0	1.2	1.5	2.0	
CT-IF(ST) - 400	400	CTG 3 (312)	75	1.2	1.5	2.0	2.0	3.00
CT-IF(ST) - 450	450			1.2	1.5	2.0	2.0	
CT-IF(ST) - 500	500	CTG 4 (410)	90	1.2	1.5	2.0	2.0	Material Finish(F)
CT-IF(ST) - 550	550			1.2	1.5	2.0	2.0	
CT-IF(ST) - 600	600			1.2	1.5	2.0	2.0	
CT-IF(ST) - 650	650	CTG 5 (495)	100	1.5	1.5	2.0	2.0	HDG (Hot Dip Galvanized)
CT-IF(ST) - 700	700			1.5	1.5	2.0	2.0	
CT-IF(ST) - 750	750			1.5	1.5	2.0	2.0	
CT-IF(ST) - 800	800	CTG 6 (600)	110	1.5	1.5	2.0	2.0	MG (Mill Galvanized)
CT-IF(ST) - 850	850			1.5	1.5	2.0	2.0	
CT-IF(ST) - 900	900			1.5	1.5	2.0	2.0	
CT-IF(ST) - 1000	1000		125	1.5	2.0	2.0	2.0	ALU. (Aluminium)
CT-IF(ST) - 1100	1100			1.5	2.0	2.0	2.0	
CT-IF(ST) - 1200	1200			1.5	2.0	2.0	2.0	
			150	1.5	2.0	2.0	2.0	SS (Stainless Steel)
				1.5	2.0	2.0	2.0	PC (Powder Coating)

Ordering Guide :

CT-IF(ST) (W) (H) (T) (L) (F)

 Item Type Width Height Thickness Length Finish


Example :

CT-IF(ST) - 300-50-1.5-2.44-HDG




CABLE TRAYS - CUSTOMISED TYPES


Part No. : CT - CP - IF / W



Part No.: CT - CP - OF / W



Part No. : CT - CP - U / W



Part No. for Cable tray (CP-IF)	Part No. for Cable tray (CP-OF)	Part No. for Cable tray (CT - U)	Width(W) (mm)	Height (H) (mm)	Length(L) (Mtr)
CT-CP-IF(ST) - 50	CT-CP-OF(ST) - 50	CT- U(ST) - 50	50	50	1.22
CT-CP-IF(ST) - 100	CT-CP-OF(ST) - 100	CT- U(ST) -100	100	60	
CT-CP-IF(ST) - 150	CT-CP-OF(ST) - 150	CT- U(ST) -150	150	75	
CT-CP-IF(ST) - 200	CT-CP-OF(ST) - 200	CT- U(ST) -200	200	90	
CT-CP-IF(ST) - 250	CT-CP-OF(ST) - 250	CT- U(ST) -250	250	100	
CT-CP-IF(ST) - 300	CT-CP-OF(ST) - 300	CT- U(ST) -300	300	110	
CT-CP-IF(ST) - 350	CT-CP-OF(ST) - 350	CT- U(ST) -350	350	125	
CT-CP-IF(ST) - 400	CT-CP-OF(ST) - 400	CT- U(ST) -400	400	150	
CT-CP-IF(ST) - 450	CT-CP-OF(ST) - 450	CT- U(ST) -450	450	200	
CT-CP-IF(ST) - 500	CT-CP-OF(ST) - 500	CT- U(ST) -500	500		
					Material Finish(F)
CT-CP-IF(ST) - 550	CT-CP-OF(ST) - 550	CT- U(ST) -550	550	Thickness (T) (mm)	HDG (Hot Dip Galvanized)
CT-CP-IF(ST) - 600	CT-CP-OF(ST) - 600	CT- U(ST) -600	600		
CT-CP-IF(ST) - 650	CT-CP-OF(ST) - 650	CT- U(ST) -650	650	1.0	MG (Mill Galvanized)
CT-CP-IF(ST) - 700	CT-CP-OF(ST) - 700	CT- U(ST) -700	700		
CT-CP-IF(ST) - 750	CT-CP-OF(ST) - 750	CT- U(ST) -750	750	1.2	ALU. (Aluminium)
CT-CP-IF(ST) - 800	CT-CP-OF(ST) - 800	CT- U(ST) -800	800		
CT-CP-IF(ST) - 850	CT-CP-OF(ST) - 850	CT- U(ST) -850	850	1.5	SS (Stainless Steel)
CT-CP-IF(ST) - 900	CT-CP-OF(ST) - 900	CT- U(ST) -900	900		
CT-CP-IF(ST) - 1000	CT-CP-OF(ST) - 1000	CT- U(ST) -1000	1000	2.0	PC (Powder Coating)
CT-CP-IF(ST) - 1100	CT-CP-OF(ST) - 1100	CT- U(ST) -1100	1100		
CT-CP-IF(ST) - 1200	CT-CP-OF(ST) - 1200	CT- U(ST) -1200	1200		

Ordering Guide :

CT-OF(ST) (W) (H) (T) (L) (F)

 Item Type Width Height Thickness Length Finish


Example :

CT - CP - IF (ST) - 300-50-1.5-2.44-HDG




CABLE TRAY WITH COVER

Part No - CT/COV - CT - OF/W



CABLE TRAY COVER ONLY

Part No - COV - CT - OF/W



Item Code/ Part No. Cable tray With Cover	Item Code/ Part No. Cable tray Cover Only	Item Code/ Part No. Cable Tray Type	Cable tray/ Cover Width(W) (mm)	Cable Tray Height (H) (mm)	Thickness (T) Light Duty (LD) (mm)	Thickness (T) Medium Duty(MD) (mm)	Thickness (T) Heavy Duty(HD) (mm)	Thickness (T) Extra heavy Duty(EHD) (mm)	Length(L) (Mtr)
CT/COV (OF) - 50	COV - CT-OF - 50	Outside Flange	50	50	1.0	1.2	1.5	2.0	1.22
CT/COV (OF) - 100	COV - CT-OF - 100		100	50 / 75 / 100	1.0	1.2	1.5	2.0	
CT/COV (OF) - 150	COV - CT-OF - 150		150	50 / 75 / 100 / 150	1.0	1.2	1.5	2.0	
CT/COV (OF) - 200	COV - CT-OF - 200		200	50 / 75 / 100 / 150/200	1.0	1.2	1.5	2.0	
CT/COV (OF) - 250	COV - CT-OF - 250	Inside Flange	250	50 / 75 / 100 / 150/200	1.0	1.2	1.5	2.0	2.44
CT/COV (OF) - 300	COV - CT-OF - 300		300	50 / 75 / 100 / 150/200	1.0	1.2	1.5	2.0	
CT/COV (OF) - 350	COV - CT-OF - 350	C - Profile Inside	350	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	3.00
CT/COV (OF) - 400	COV - CT-OF - 400		400	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	
CT/COV (OF) - 450	COV - CT-OF - 450	C- ProfileOutside	450	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	Material Finish(F)
CT/COV (OF) - 500	COV - CT-OF - 500		500	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	
CT/COV (OF) - 550	COV - CT-OF - 550	U - Type	550	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	HDG (Hot Dip Galvanized)
CT/COV (OF) - 600	COV - CT-OF - 600		600	50 / 75 / 100 / 150/200	1.2	1.5	2.0	2.0	
CT/COV (OF) - 650	COV - CT-OF - 650	U - Type	650	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	MG (Mill Galvanized)
CT/COV (OF) - 700	COV - CT-OF - 700		700	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	
CT/COV (OF) - 750	COV - CT-OF - 750	U - Type	750	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	ALU. (Aluminium)
CT/COV (OF) - 800	COV - CT-OF - 800		800	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	
CT/COV (OF) - 850	COV - CT-OF - 850	U - Type	850	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	SS (Stainless Steel)
CT/COV (OF) - 900	COV - CT-OF - 900		900	50 / 75 / 100 / 150/200	1.5	1.5	2.0	2.0	
CT/COV (OF) - 1000	COV - CT-OF - 1000	U - Type	1000	50 / 75 / 100 / 150/200	1.5	2.0	2.0	2.0	PC (Powder Coating)
CT/COV (OF) - 1100	COV - CT-OF - 1100		1100	50 / 75 / 100 / 150/200	1.5	2.0	2.0	2.0	
CT/COV (OF) - 1200	COV - CT-OF - 1200	U - Type	1200	50 / 75 / 100 / 150/200	1.5	2.0	2.0	2.0	

Ordering Guide : "Cable Tray With Cover "

CT/COV (OF) (W) (H) (T) (L) (F)
 ↑ ↑ ↑ ↑ ↑ ↑
 Item Type Width Height Thickness Length Finish

Example :

CT/COV- OF(ST) - 200-100-1.5-2.44-HDG

Ordering Guide : "Cable Tray Cover Only "

CT/COV (OF) (W) (T) (L) (F)
 ↑ ↑ ↑ ↑ ↑ ↑
 Item Type Width Thickness Length Finish

Example :

CT/COV- OF(ST) - 200-1.5-2.44-HDG




90° HORIZONTAL ELBOW / BEND FOR CABLE TRAY


Item Type - 1 (Part No. : CT - 90 HB1/W)



Item Type - 2 (Part No. : CT - 90 HB2/W)



Item Type - 1 With Cover (Part No. : CT - 90 HB1/C/W)



Item Type - 2 With Cover
(Part No. : CT -90 HB2/C/W)



Item Code/ Part No. for Type - 1	Item Code/ Part No. for Type - 2	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)				Radius (mm)
CT- (90 HB1) - 50	CT- (90 HB2) - 50	50	50	1.0	1.2	1.5	2.0	100
CT- (90 HB1) - 100	CT- (90 HB2) - 100	100	50 / 75 / 100	1.0	1.2	1.5	2.0	150
CT- (90 HB1) - 150	CT- (90 HB2) - 150	150	50 / 75 / 100/150	1.0	1.2	1.5	2.0	200
CT- (90 HB1) - 200	CT- (90 HB2) - 200	200	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	300
CT- (90 HB1) - 250	CT- (90 HB2) - 250	250	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	450
CT- (90 HB1) - 300	CT- (90 HB2) - 300	300	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	600
CT- (90 HB1) - 350	CT- (90 HB2) - 350	350	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	900
CT- (90 HB1) - 400	CT- (90 HB2) - 400	400	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	Material Finish(F)
CT- (90 HB1) - 450	CT- (90 HB2) - 450	450	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (90 HB1) - 500	CT- (90 HB2) - 500	500	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	HDG (Hot Dip Galvanized) MG (Mill Galvanized) ALU. (Aluminium) SS (Stainless Steel) PC (Powder Coated)
CT- (90 HB1) - 600	CT- (90 HB2) - 600	600	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (90 HB1) - 700	CT- (90 HB2) - 700	700	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 HB1) - 750	CT- (90 HB2) - 750	750	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 HB1) - 800	CT- (90 HB2) - 800	800	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 HB1) - 900	CT- (90 HB2) - 900	900	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 HB1) - 1000	CT- (90 HB2) - 1000	1000	50 / 75 / 100 / 150 / 200	1.5	2.0	2.0	2.0	

Notes:


* Use Item Code "CT- (90 HB1) / C " for 90° Elbow with Cover (For Type - 1)

* Use Item Code "CT- (90 HB2) / C " for 90° Elbow with Cover (For Type - 2)




45° HORIZONTAL ELBOW / BEND FOR CABLE TRAY


Item Type - 1 (Part No. : CT - 45 HB1/W)




Item Type - With Cover (Part No. : CT - 45 HB1/C/W)



Item Type - 2 (Part No. CT - 45 HB2/ W)



Item Type - 2 With Cover
(Part No. : CT - 45 H2/C/W)



Item Code/ Part No. for Type - 1	Item Code/ Part No. for Type - 2	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)				Radius (mm)
CT- (45 HB1) - 50	CT- (45 HB2) - 50	50	50	1.0	1.2	1.5	2.0	100
CT- (45 HB1) - 100	CT- (45 HB2) - 100	100	50 / 75 / 100	1.0	1.2	1.5	2.0	150
CT- (45 HB1) - 150	CT- (45 HB2) - 150	150	50 / 75 / 100/150	1.0	1.2	1.5	2.0	200
CT- (45 HB1) - 200	CT- (45 HB2) - 200	200	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	300
CT- (45 HB1) - 250	CT- (45 HB2) - 250	250	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	450
CT- (45 HB1) - 300	CT- (45 HB2) - 300	300	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	600
CT- (45 HB1) - 350	CT- (45 HB2) - 350	350	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	900
CT- (45 HB1) - 400	CT- (45 HB2) - 400	400	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	Material Finish(F)
CT- (45 HB1) - 450	CT- (45 HB2) - 450	450	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (45 HB1) - 500	CT- (45 HB2) - 500	500	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (45 HB1) - 600	CT- (45 HB2) - 600	600	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	HDG (Hot Dip Galvanized) MG (Mill Galvanized) ALU. (Aluminium) SS (Stainless Steel) PC (Powder Coated)
CT- (45 HB1) - 700	CT- (45 HB2) - 700	700	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 HB1) - 750	CT- (45 HB2) - 750	750	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 HB1) - 800	CT- (45 HB2) - 800	800	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 HB1) - 900	CT- (45 HB2) - 900	900	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 HB1) - 1000	CT- (45 HB2) - 1000	1000	50 / 75 / 100 / 150 / 200	1.5	2.0	2.0	2.0	

Notes:

* Use Item Code "CT - (45 HB1) / C " for 45° Elbow with Cover (For Type - 1)

* Use Item Code "CT - (45 HB2) / C " for 45° Elbow with Cover (For Type - 2)



90° VERTICAL OUTSIDE RISER/ ELBOW / BEND FOR CABLE TRAY



Item Code/ Part No. for Type - 1	Item Code/ Part No. for Type - 2	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)				Radius (mm)
CT- (90 OR1) - 50	CT- (90 OR2) - 50	50	50	1.0	1.2	1.5	2.0	100
CT- (90 OR1) - 100	CT- (90 OR2) - 100	100	50 / 75 / 100	1.0	1.2	1.5	2.0	150
CT- (90 OR1) - 150	CT- (90 OR2) - 150	150	50 / 75 / 100/150	1.0	1.2	1.5	2.0	200
CT- (90 OR1) - 200	CT- (90 OR2) - 200	200	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	300
CT- (90 OR1) - 250	CT- (90 OR2) - 250	250	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	450
CT- (90 OR1) - 300	CT- (90 OR2) - 300	300	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	600
CT- (90 OR1) - 350	CT- (90 OR2) - 350	350	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	900
CT- (90 OR1) - 400	CT- (90 OR2) - 400	400	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	Material Finish(F)
CT- (90 OR1) - 450	CT- (90 OR2) - 450	450	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (90 OR1) - 500	CT- (90 OR2) - 500	500	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	HDG (Hot Dip Galvanized) MG (Mill Galvanized)
CT- (90 OR1) - 600	CT- (90 OR2) - 600	600	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (90 OR1) - 700	CT- (90 OR2) - 700	700	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	ALU. (Aluminium) SS (Stainless Steel)
CT- (90 OR1) - 750	CT- (90 OR2) - 750	750	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 OR1) - 800	CT- (90 OR2) - 800	800	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	PC (Powder Coated)
CT- (90 OR1) - 900	CT- (90 OR2) - 900	900	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 OR1) - 1000	CT- (90 OR2) - 1000	1000	50 / 75 / 100 / 150 / 200	1.5	2.0	2.0	2.0	

Notes:

* Use Item Code **"CT - (90 OR1) / C "** for 90° Outside Riser **with Cover (For Type 1)**

* Use Item Code **"CT - (90 OR2) / C "** for 90° Outside Riser **with Cover (For Type 2)**



90° Vertical Inside Riser/ Elbow / Bend for Cable Tray



Item Code/ Part No. for Type 90 IR1	Item Code/ Part No. for Type 90 IR2	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)				Radius (mm)
CT- (90 IR1) - 50	CT- (90 IR2) - 50	50	50	1.0	1.2	1.5	2.0	100
CT- (90 IR1) - 100	CT- (90 IR2) - 100	100	50 / 75 / 100	1.0	1.2	1.5	2.0	150
CT- (90 IR1) - 150	CT- (90 IR2) - 150	150	50 / 75 / 100/150	1.0	1.2	1.5	2.0	200
CT- (90 IR1) - 200	CT- (90 IR2) - 200	200	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	300
CT- (90 IR1) - 250	CT- (90 IR2) - 250	250	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	450
CT- (90 IR1) - 300	CT- (90 IR2) - 300	300	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	600
CT- (90 IR1) - 350	CT- (90 IR2) - 350	350	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	900
CT- (90 IR1) - 400	CT- (90 IR2) - 400	400	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	Material Finish(F)
CT- (90 IR1) - 450	CT- (90 IR2) - 450	450	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (90 IR1) - 500	CT- (90 IR2) - 500	500	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	HDG (Hot Dip Galvanized) MG (Mill Galvanized) ALU. (Aluminium) SS (Stainless Steel) PC (Powder Coated)
CT- (90 IR1) - 600	CT- (90 IR2) - 600	600	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (90 IR1) - 700	CT- (90 IR2) - 700	700	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 IR1) - 750	CT- (90 IR2) - 750	750	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 IR1) - 800	CT- (90 IR2) - 800	800	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 IR1) - 900	CT- (90 IR2) - 900	900	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (90 IR1) - 1000	CT- (90 IR2) - 1000	1000	50 / 75 / 100 / 150 / 200	1.5	2.0	2.0	2.0	

Notes:

* Use Item Code "CT - (90 IR1) / C " for 90° Inside Riser with Cover (For Type - 1)

* Use Item Code "CT - (90 IR2) / C " for 90° Inside Riser with Cover (For Type - 2)



45° Vertical Outside Riser/ Elbow / Bend for Cable Tray



Item Code/ Part No. for Type 45 OR1	Item Code/ Part No. for Type 45 OR2	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)				Radius (mm)
CT- (45 OR1) - 50	CT- (45 OR2) - 50	50	50	1.0	1.2	1.5	2.0	100
CT- (45 OR1) - 100	CT- (45 OR2) - 100	100	50 / 75 / 100	1.0	1.2	1.5	2.0	150
CT- (45 OR1) - 150	CT- (45 OR2) - 150	150	50 / 75 / 100/150	1.0	1.2	1.5	2.0	200
CT- (45 OR1) - 200	CT- (45 OR2) - 200	200	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	300
CT- (45 OR1) - 250	CT- (45 OR2) - 250	250	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	450
CT- (45 OR1) - 300	CT- (45 OR2) - 300	300	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	600
CT- (45 OR1) - 350	CT- (45 OR2) - 350	350	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	900
CT- (45 OR1) - 400	CT- (45 OR2) - 400	400	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	Material Finish(F)
CT- (45 OR1) - 450	CT- (45 OR2) - 450	450	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (45 OR1) - 500	CT- (45 OR2) - 500	500	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	HDG (Hot Dip Galvanized) MG (Mill Galvanized) ALU. (Aluminium) SS (Stainless Steel) PC (Powder Coated)
CT- (45 OR1) - 600	CT- (45 OR2) - 600	600	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (45 OR1) - 700	CT- (45 OR2) - 700	700	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 OR1) - 750	CT- (45 OR2) - 750	750	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 OR1) - 800	CT- (45 OR2) - 800	800	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 OR1) - 900	CT- (45 OR2) - 900	900	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 OR1) - 1000	CT- (45 OR2) - 1000	1000	50 / 75 / 100 / 150 / 200	1.5	2.0	2.0	2.0	

Notes:

* Use Item Code "**CT - (45 OR1) / C**" for 45° Outside Riser **with Cover**


(For Type - 1)

* Use Item Code "**CT - (45 OR2) / C**" for 45° Outside Riser **with Cover**

(For Type - 2)



45° Vertical Inside Riser/ Elbow / Bend for Cable Tray




Item Code/ Part No. for Type 45 IR1	Item Code/ Part No. for Type 45 IR2	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)				Radius (mm)
CT- (45 IR1)- 50	CT- (45 IR2) - 50	50	50	1.0	1.2	1.5	2.0	100
CT- (45 IR1) - 100	CT- (45 IR2) - 100	100	50 / 75 / 100	1.0	1.2	1.5	2.0	150
CT- (45 IR1) - 150	CT- (45 IR2) - 150	150	50 / 75 / 100/150	1.0	1.2	1.5	2.0	200
CT- (45 IR1) - 200	CT- (45 IR2) - 200	200	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	300
CT- (45 IR1) - 250	CT- (45 IR2) - 250	250	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	450
CT- (45 IR1) - 300	CT- (45 IR2) - 300	300	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	600
CT- (45 IR1) - 350	CT- (45 IR2) - 350	350	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	900
CT- (45 IR1) - 400	CT- (45 IR2) - 400	400	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	Material Finish(F)
CT- (45 IR1) - 450	CT- (45 IR2) - 450	450	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (45 IR1) - 500	CT- (45 IR2) - 500	500	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	HDG (Hot Dip Galvanized) MG (Mill Galvanized) ALU. (Aluminium) SS (Stainless Steel) PC (Powder Coated)
CT- (45 IR1) - 600	CT- (45 IR2) - 600	600	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (45 IR1) - 700	CT- (45 IR2) - 700	700	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 IR1) - 750	CT- (45 IR2) - 750	750	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 IR1) - 800	CT- (45 IR2) - 800	800	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 IR1) - 900	CT- (45 IR2) - 900	900	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (45 IR1) - 1000	CT- (45 IR2) - 1000	1000	50 / 75 / 100 / 150 / 200	1.5	2.0	2.0	2.0	

Notes:

- * Use Item Code "**CT - (45 IR1) / C**" for 45° Outside Riser **with Cover** (For Type - 1)
- * Use Item Code "**CT - (45 IR2) / C**" for 45° Outside Riser **with Cover** (For Type - 2)



Horizontal Tee for Cable Tray



Item Code/ Part No. for Type HT1	Item Code/ Part No. for Type HT2	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)				Radius (mm)
CT- (HT1)- 50	CT- (HT2) - 50	50	50	1.0	1.2	1.5	2.0	100
CT- (HT1) - 100	CT- (HT2) - 100	100	50 / 75 / 100	1.0	1.2	1.5	2.0	150
CT- (HT1) - 150	CT- (HT2) - 150	150	50 / 75 / 100/150	1.0	1.2	1.5	2.0	200
CT- (HT1) - 200	CT- (HT2) - 200	200	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	300
CT- (HT1) - 250	CT- (HT2) - 250	250	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	450
CT- (HT1) - 300	CT- (HT2) - 300	300	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	600
CT- (HT1) - 350	CT- (HT2) - 350	350	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	900
CT- (HT1) - 400	CT- (HT2) - 400	400	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	Material Finish(F)
CT- (HT1) - 450	CT- (HT2) - 450	450	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (HT1) - 500	CT- (HT2) - 500	500	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	HDG (Hot Dip Galvanized) MG (Mill Galvanized) ALU. (Aluminium) SS (Stainless Steel) PC (Powder Coated)
CT- (HT1) - 600	CT- (HT2) - 600	600	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (HT1) - 700	CT- (HT2) - 700	700	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (HT1) - 750	CT- (HT2) - 750	750	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (HT1) - 800	CT- (HT2) - 800	800	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (HT1) - 900	CT- (HT2) - 900	900	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (HT1) - 1000	CT- (HT2) - 1000	1000	50 / 75 / 100 / 150 / 200	1.5	2.0	2.0	2.0	

Notes:

* Use Item Code "CT - (HT1) / C " for Horizontal Tee **with Cover**


(For Type - 1)

* Use Item Code "CT - (HT2) / C " for Horizontal Tee **with Cover**

(For Type - 2)



Horizontal Cross / Intersection for Cable Tray



Item Code/ Part No. for Type HC1	Item Code/ Part No. for Type HC2	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)				Radius (mm)
CT- (HC1)- 50	CT- (HC2) - 50	50	50	1.0	1.2	1.5	2.0	100
CT- (HC1) - 100	CT- (HC2) - 100	100	50 / 75 / 100	1.0	1.2	1.5	2.0	150
CT- (HC1) - 150	CT- (HC2) - 150	150	50 / 75 / 100/150	1.0	1.2	1.5	2.0	200
CT- (HC1) - 200	CT- (HC2) - 200	200	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	300
CT- (HC1) - 250	CT- (HC2) - 250	250	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	450
CT- (HC1) - 300	CT- (HC2) - 300	300	50 / 75 / 100 / 150 / 200	1.0	1.2	1.5	2.0	600
CT- (HC1) - 350	CT- (HC2) - 350	350	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	900
CT- (HC1) - 400	CT- (HC2) - 400	400	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	Material Finish(F)
CT- (HC1) - 450	CT- (HC2) - 450	450	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (HC1) - 500	CT- (HC2) - 500	500	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	HDG (Hot Dip Galvanized) MG (Mill Galvanized) ALU. (Aluminium) SS (Stainless Steel) PC (Powder Coated)
CT- (HC1) - 600	CT- (HC2) - 600	600	50 / 75 / 100 / 150 / 200	1.2	1.5	2.0	2.0	
CT- (HC1) - 700	CT- (HC2) - 700	700	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (HC1) - 750	CT- (HC2) - 750	750	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (HC1) - 800	CT- (HC2) - 800	800	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (HC1) - 900	CT- (HC2) - 900	900	50 / 75 / 100 / 150 / 200	1.5	1.5	2.0	2.0	
CT- (HC1) - 1000	CT- (HC2) - 1000	1000	50 / 75 / 100 / 150 / 200	1.5	2.0	2.0	2.0	

Notes:

* Use Item Code "CT - (HC1) / C " for Horizontal Tee with Cover

(For Type - 1)

* Use Item Code "CT - (HC2) / C " for Horizontal Tee with Cover

(For Type - 2)



Reducers for Cable Trays

Item Code/ Part No. for Straight Reducer	Item Code/ Part No. for Left Hand Reducer	Item Code/ Part No. for Right Hand Reducer	Width (W1-W2) (mm)	Height (H) (mm)	Thickness (T) (mm)	Material Finish(F)
CT- (STR) 100/W2	CT- (LHR) 100/W2	CT- (RHR)100/W2	100 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	HDG (Hot Dip Galv.)
CT- (STR) 150/W2	CT- (LHR) 150/W2	CT- (RHR)150/W2	150 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	
CT- (STR) 200/W2	CT- (LHR) 200/W2	CT- (RHR) 200/W2	200 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG (Mill Galv.)
CT- (STR) 250/W2	CT- (LHR) 250/W2	CT- (RHR)250/W2	250 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	
CT- (STR) 300/W2	CT- (LHR) 300/W2	CT- (RHR)300/W2	300 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	AL (Aluminium)
CT- (STR) 350/W2	CT- (LHR) 350/W2	CT- (RHR)350/W2	350 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	
CT- (STR) 400/W2	CT- (LHR) 400/W2	CT- (RHR)400/W2	400 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	SS (Stainless Steel)
CT- (STR) 500/W2	CT- (LHR) 500/W2	CT- (RHR)500/W2	500 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	
CT- (STR) 600/W2	CT- (LHR) 600/W2	CT- (RHR)600/W2	600 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	PC (Powder Coating)
CT- (STR) 700/W2	CT- (LHR) 700/W2	CT- (RHR)700/W2	700 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	
CT- (STR) 750/W2	CT- (LHR) 750/W2	CT- (RHR)750/W2	750 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	
CT- (STR) 800/W2	CT- (LHR) 800/W2	CT- (RHR)800/W2	800 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	
CT- (STR) 900/W2	CT- (LHR) 900/W2	CT- (RHR)900/W2	900 - W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	
CT- (STR) 1000/W2	CT- (LHR) 1000/W2	CT- (RHR) 1000/W2	1000-W2	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	


Notes :

* Use Item Code "CT- (STR1 - C - W1/W2) " for Straight Reducer With Cover

Please select the item code and fill the other size of reducer (W2) while ordering




Angle Connector




Item Code/Part No	Size (H x W x L)	Thickness	Finish
AC - CT - 50/50	50 x 50 x 180 mm	1.0 mm	HDG
AC - CT - 60/50	60 x 50 x 180 mm		MG
AC - CT - 75/50	75 x 50 x 180 mm	1.2 mm	ALU
AC - CT - 75/75	75 x 75 x 180 mm		S/S
AC - CT - 100/50	100 x 50 x 180 mm	1.5 mm	PC
AC - CT - 100/100	100 x 100 x 180 mm		
AC - CT - 150/100	150 x 100 x 180 mm	2.0 mm	
AC - CT - 200/100	200 x 100 x 180 mm		

Straight Connector




Item Code/Part No	Size (H x L)	Thickness	Finish
SC - CT - 50	50 x 180 mm	1.0 mm	HDG
SC - CT - 60	60 x 180 mm		MG
SC - CT - 75	75 x 180 mm	1.2 mm	ALU
SC - CT - 100	100 x 180 mm		S/S
SC - CT - 150	150 x 180 mm	2.0 mm	PC
AC - CT - 200	200 x 180 mm		

Vertical Adjustable Connector



Item Code/Part No	Size (H x L)	Thickness	Finish
VAC - CT - 50	50 x 180 mm	1.0 mm	HDG
VAC - CT - 60	60 x 180 mm		MG
VAC - CT - 75	75 x 180 mm	1.2 mm	ALU
VAC - CT - 100	100 x 180 mm		S/S
VAC - CT - 150	150 x 180 mm	2.0 mm	PC
VAC - CT - 200	200 x 180 mm		


Bendable Splice Plate



Item Code/Part No	Size (H x L)	Thickness	Finish
BSP - CT - 50	50 x 180 mm	1.0 mm	HDG
BSP - CT - 60	60 x 180 mm		MG
BSP - CT - 75	75 x 180 mm	1.2 mm	ALU
BSP - CT - 100	100 x 180 mm		S/S
BSP - CT - 150	150 x 180 mm	2.0 mm	PC
BSP - CT - 200	200 x 180 mm		



Box Connector



Part No.	Width	Height	Thickness	Finish
BC - CT - 100/H	100	50 mm	1.0 mm	HDG
BC - CT - 200/H	200	60 mm	1.2 mm	
BC - CT - 300/H	300	75 mm	1.5 mm	MG
BC - CT - 400/H	400	100 mm	2.0 mm	ALU
BC - CT - 500/H	500	125 mm	2.0 mm	S/S
BC - CT - 600/H	600	150 mm	2.0 mm	PC
BC - CT - 700/H	700			
BC - CT - 800/H	800			

Reducing Connector



Part No.	Reducing Width	Thickness	Finish
RC - CT - 100	100 mm	1.0 mm	HDG
RC - CT - 200	200 mm	1.2 mm	
RC - CT - 300	300 mm	1.5 mm	MG
RC - CT - 400	400 mm	2.0 mm	ALU
RC - CT - 500	500 mm	2.0 mm	S/S
RC - CT - 600	600 mm	2.0 mm	PC
RC - CT - 700	700 mm		
RC - CT - 800	800 mm		


End Plate/ Blind End



Part No.	Width	Height	Thickness	Finish
EP - CT - 100	100	50 mm	1.0 mm	HDG
EP - CT - 200	200	60 mm	1.2 mm	
EP - CT - 300	300	75 mm	1.5 mm	MG
EP - CT - 400	400	100 mm	2.0 mm	ALU
EP - CT - 500	500	125 mm	2.0 mm	S/S
EP - CT - 600	600	150 mm	2.0 mm	PC
EP - CT - 700	700			
EP - CT - 800	800			
EP - CT - 900	900			

Cover Fixing Clamp


Part No. CFC - CT



Part No.	Height	Thickness	Bolt Size	Finish
CFC - 50	50	1.0	6 mm	HDG
CFC - 75	75	1.2	8 mm	MG
CFC - 100	100	1.5	10 mm	ALU
EP - CT - 150	150	2.0	12 mm	S/S
EP - CT - 200	200	2.0	12 mm	PC




Expansion Connector




Part No.	Size (H x W x L)	Thickness	Finish	
EC - CT - 50	50 x 50 x 180 mm	1.0 mm	HDG	
EC - CT - 60	60 x 50 x 180 mm		1.2 mm	MG
EC - CT - 75	75 x 50 x 180 mm	1.5 mm		ALU
EC - CT - 100	75 x 75 x 180 mm			2.0 mm
EC - CT - 150	100 x 50 x 180 mm	2.0 mm	PC	
EC - CT - 200	100 x 100 x 180 mm			

Bendable Angle Connector




Part No.	Size (H x L)	Thickness	Finish	
BAC - CT - 50	50 x 180 mm	1.0 mm	HDG	
BAC - CT - 60	60 x 180 mm		1.2 mm	MG
BAC - CT - 75	75 x 180 mm	1.5 mm		ALU
BAC - CT - 100	100 x 180 mm			2.0 mm
BAC - CT - 150	150 x 180 mm	2.0 mm	PC	
BAC - CT - 200	200 x 180 mm			

Fish Plate Connector



Part No.	Size (W x L)	Thickness	Finish	
FPC - CT - 100	100 x 180 mm	1.0 mm	HDG	
FPC - CT - 150	150 x 180 mm		1.2 mm	MG
FPC - CT - 200	200 x 180 mm	1.5 mm		ALU
FPC - CT - 300	300 x 180 mm			2.0 mm
FPC - CT - 400	400 x 180 mm	2.0 mm	PC	
FPC - CT - 500	500 x 180 mm			

U - Connector



Part No.	Size (H x L)	Thickness	Finish	
UC - CT - 100	100 x 180 mm	1.0 mm	HDG	
UC - CT - 150	150 x 180 mm		1.2 mm	MG
UC - CT - 200	200 x 180 mm	1.5 mm		ALU
UC - CT - 300	300 x 180 mm			2.0 mm
UC - CT - 400	400 x 180 mm	2.0 mm	PC	
UC - CT - 500	500 x 180 mm			



Earth Bonding Jumper (Y/G Cable)




Part No.	Cable Size	Lug stud hole
EBJ - YG/4	4 mm ² x 150 mm L	6 mm
EBJ - YG/6	6 mm ² x 150 mm L	6 mm
EBJ - YG/8	8 mm ² x 150 mm L	6 mm

Earth Bonding Jumper (Flexible Tinned Copper)



Part No.	Size	Lug stud hole
EBJ - BTC/4	4 mm ² x 150 mm L	6 mm
EBJ - BTC/6	6 mm ² x 200 mm L	6 mm
EBJ - BTC/10	6 mm ² x 200 mm L	6 mm

Drop Out Plate (DO)



Part No.	Drop Out Width	Thickness	Finish
DO - CT - 100	100 mm	1.0 mm	HDG
DO - CT - 200	200 mm		
DO - CT - 300	300 mm		
DO - CT - 400	400 mm	1.2 mm	MG
DO - CT - 500	500 mm		
DO - CT - 600	600 mm	1.5 mm	ALU
DO - CT - 700	700 mm		
DO - CT - 800	800 mm	2.0 mm	PC

Barrier Strip/Seperator (BS)



Part No.	Height	Length	Thickness	Finish
BS - CT - 50	50 mm	2.44 Mtr	1.0 mm	HDG MG ALU S/S PC
BS - CT - 60	60 mm			
BS - CT - 75	75 mm			
BS - CT - 100	100 mm	3 Mtr	1.5 mm	
BS - CT - 125	125 mm		2.0 mm	
BS - CT - 150	150 mm		2.0 mm	

Note : Other sizes available upon Request

AL FAREED STARS FACTORY CO.

For Metal Industries and Cable Support System

Address :

P.O. BOX 355803, Riyadh 11383

Street 59, Modon Industrial City

Al Kharj, Kingdom of Saudi Arabia.

Tel : +966 11 542 0047

E-mail : info@alfareedstars.com