


Cable Trunking Section



Over Floor/Ceiling Trunking
Under Floor Trunking
Flush Floor Trunking



Page 34





CABLE TRUNKING FOR RAISED FLOOR AND CEILING

TYPE: AFTR- 1



Item Code/ Part No.	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)	Length(L) (Mtr)
AFTR- 1C (ST) - 50 / H	50	50	1.0	2.44
AFTR- 1C (ST) - 75 / H	75	75	1.2	
AFTR- 1C (ST) - 100 / H	100	100	1.5	
AFTR- 1C (ST) - 150 / H	150	150	2.0	3.00
AFTR- 1C (ST) - 200 / H	200	200	3.0	
AFTR- 1C (ST) - 300 / H	300	Compartments (C)	Finish (F)	Cover Type
AFTR- 1C (ST) - 400 / H	400			
AFTR- 1C (ST) - 450 / H	450	1	MG	Screw Fix
AFTR- 1C (ST) - 500 / H	500	2	HDG	Easy lock
		3	ALU.	
AFTR- 1C (ST) - 600 / H	600	4	SS	Ventilated/ louvered
		5	PC	
		6		

Ordering Guide

AFTR- 1C (ST) (W) (H) (T) (L) (F)

 Item Type Wdth Height Thickness Length Finish


Example :

AFTR-1(ST) - 200-50-1.5-2.44-HDG



CABLE TRUNKING FOR RAISED FLOOR AND CEILING

TYPE : AFTR- 1



Item Code/ Part No.	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)	Finish (F)	Length(L) (Mtr)
AFTR- 1C (ST) - 50 / H	50	50	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	2.44
AFTR- 1C (ST) - 75 / H	75	50 / 75	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 1C (ST) - 100 / H	100	50 / 75 / 100	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 1C (ST) - 150 / H	150	50 / 75 / 100 / 150	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 1C (ST) - 200 / H	200	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 1C (ST) - 300 / H	300	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Cover Type
AFTR- 1C (ST) - 400 / H	400	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 1C (ST) - 450 / H	450	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Screw Fix
AFTR- 1C (ST) - 500 / H	500	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Easy lock
AFTR- 1C (ST) - 600 / H	600	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Ventilated/ louvered

Ordering Guide

(W) **(H)** **(T)** **(F)**

 Item Type Wdth Heigh Thickness Finish


Example :

AFTR-1(ST) - 200-50-1.5-2.44-HDG



CABLE TRUNKING - 2 COMPARTMENTS FOR RAISED FLOOR AND CEILING

TYPE : AFTR- 2



Item Code/ Part No.	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)	Finish (F)	Length(L) (Mtr)
AFTR- 2C (ST) - 50 / H	50	50	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	2.44 3.00
AFTR- 2C (ST) - 75 / H	75	50 / 75	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 2C (ST) - 100 / H	100	50 / 75 / 100	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 2C (ST) - 150 / H	150	50 / 75 / 100 / 150	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 2C (ST) - 200 / H	200	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 2C (ST) - 300 / H	300	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Cover Type
AFTR- 2C (ST) - 400 / H	400	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 2C (ST) - 450 / H	450	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Screw Fix
AFTR- 2C (ST) - 500 / H	500	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Easy lock
AFTR- 2C (ST) - 600 / H	600	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Ventilated/ louvered

Ordering Guide

AFCL-2 (ST) (W) (H) (T) (F) (C)

 Item Type Width Height Thickness Fin Compt.


Example :

AFTR-2(ST) - 200-50-1.5-2.44-HDG - 2



CABLE TRUNKING - 3 COMPARTMENTS FOR RAISED FLOOR AND CEILING

TYPE: AFTR- 3



Item Code/ Part No.	Width(W) (mm)	Height (H) (mm)	Thickness (T) (mm)	Finish (F)	Length(L) (Mtr)
AFTR- 3C (ST) - 75 / H	75	50 / 75	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 3C (ST) - 100 / H	100	50 / 75 / 100	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 3C (ST) - 150 / H	150	50 / 75 / 100 / 150	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 3C (ST) - 200 / H	200	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 3C (ST) - 300 / H	300	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Cover Type
AFTR- 3C (ST) - 400 / H	400	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	
AFTR- 3C (ST) - 450 / H	450	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Screw Fix
AFTR- 3C (ST) - 500 / H	500	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Easy lock
AFTR- 3C (ST) - 600 / H	600	50 / 75 / 100 / 150 / 200	1.0 / 1.2 / 1.5 / 2.0	MG / HDG / AL / SS	Ventilated/ louvered

Ordering Guide

AFCL-3 (ST) (W) (H) (T) (L|F) (C)


 Item Type Width Height Thickness Le Fin Compt.

Example :

AFTR-3(ST) - 200-50-1.5-2.44-HDG -3




90o Horizontal Bend/Elbow - Cover on Top



Item Code / Part No.	Width (W)	Height (H)	Thickness (T)	Finish (F)
AFTR - T1/T2 (90HB) - 50/H	50	50	1.0/1.2/1.5/2.0	MG HDG
AFTR - T1/T2 (90HB) - 75/H	75	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90HB) - 100/H	100	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90HB) - 150/H	150	50/75/100/150	1.0/1.2/1.5/2.0	ALU. SS PC
AFTR - T1/T2 (90HB) - 200/H	200	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90HB) - 250/H	250	50/75/100/150	1.0/1.2/1.5/2.0	Compt. (C)
AFTR - T1/T2 (90HB) - 300/H	300	50/75/100/150	1.0/1.2/1.5/2.0	1
AFTR - T1/T2 (90HB) - 400/H	400	50/75/100/150	1.0/1.2/1.5/2.0	2
AFTR - T1/T2 (90HB) - 450/H	450	50/75/100/150	1.0/1.2/1.5/2.0	3
AFTR - T1/T2 (90HB) - 500/H	500	50/75/100/150	1.0/1.2/1.5/2.0	4
AFTR - T1/T2 (90HB) - 600/H	600	50/75/100/150	1.0/1.2/1.5/2.0	5

Horizontal Tee - Cover on Top



Item Code / Part No.	Width (W)	Height (H)	Thickness (T)	Finish (F)
AFTR - T1/T2 (HT) - 50/H	50	50	1.0/1.2/1.5/2.0	MG HDG
AFTR - T1/T2 (HT) - 75/H	75	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (HT) - 100/H	100	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (HT) - 150/H	150	50/75/100/150	1.0/1.2/1.5/2.0	ALU. SS PC
AFTR - T1/T2 (HT) - 200/H	200	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (HT) - 250/H	250	50/75/100/150	1.0/1.2/1.5/2.0	Compt. (C)
AFTR - T1/T2 (HT) - 300/H	300	50/75/100/150	1.0/1.2/1.5/2.0	1
AFTR - T1/T2 (HT) - 400/H	400	50/75/100/150	1.0/1.2/1.5/2.0	2
AFTR - T1/T2 (HT) - 450/H	450	50/75/100/150	1.0/1.2/1.5/2.0	3
AFTR - T1/T2 (HT) - 500/H	500	50/75/100/150	1.0/1.2/1.5/2.0	4
AFTR - T1/T2 (HT) - 600/H	600	50/75/100/150	1.0/1.2/1.5/2.0	5

Ordering Guide


AFTR - T1 (90 HB) (W) (H) (T) (F)
 ↑ ↑ ↑ ↑ ↑
 Item Type Width Height Thickness Finish

Example :

AFTR-T1(90 HB) - 200-50 -1.5 - HDG




90 D. Inside Riser - Cover on Inside



Item Code / Part No.	Width (W)	Height (H)	Thickness (T)	Finish (F)
AFTR - T1/T2 (90 IR) - 50/H	50	50	1.0/1.2/1.5/2.0	MG HDG
AFTR - T1/T2 (90 IR) - 75/H	75	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 IR) - 100/H	100	50/75/100/150	1.0/1.2/1.5/2.0	ALU. SS PC
AFTR - T1/T2 (90 IR) - 150/H	150	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 IR) - 200/H	200	50/75/100/150	1.0/1.2/1.5/2.0	Compt. (C)
AFTR - T1/T2 (90 IR) - 250/H	250	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 IR) - 300/H	300	50/75/100/150	1.0/1.2/1.5/2.0	1
AFTR - T1/T2 (90 IR) - 400/H	400	50/75/100/150	1.0/1.2/1.5/2.0	2
AFTR - T1/T2 (90 IR) - 450/H	450	50/75/100/150	1.0/1.2/1.5/2.0	3
AFTR - T1/T2 (90 IR) - 500/H	500	50/75/100/150	1.0/1.2/1.5/2.0	4
AFTR - T1/T2 (90 IR) - 600/H	600	50/75/100/150	1.0/1.2/1.5/2.0	5

90 D. Outside Riser - Cover on Outside



Item Code / Part No.	Width (W)	Height (H)	Thickness (T)	Finish (F)
AFTR - T1/T2 (90 OR) - 50/H	50	50	1.0/1.2/1.5/2.0	MG HDG
AFTR - T1/T2 (90 OR) - 75/H	75	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 OR) - 100/H	100	50/75/100/150	1.0/1.2/1.5/2.0	ALU. SS PC
AFTR - T1/T2 (90 OR) - 150/H	150	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 OR) - 200/H	200	50/75/100/150	1.0/1.2/1.5/2.0	Compt. (C)
AFTR - T1/T2 (90 OR) - 250/H	250	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 OR) - 300/H	300	50/75/100/150	1.0/1.2/1.5/2.0	1
AFTR - T1/T2 (90 OR) - 400/H	400	50/75/100/150	1.0/1.2/1.5/2.0	2
AFTR - T1/T2 (90 OR) - 450/H	450	50/75/100/150	1.0/1.2/1.5/2.0	3
AFTR - T1/T2 (90 OR) - 500/H	500	50/75/100/150	1.0/1.2/1.5/2.0	4
AFTR - T1/T2 (90 OR) - 600/H	600	50/75/100/150	1.0/1.2/1.5/2.0	5

Ordering Guide

AFTR - T1 (90 IR) (W) (H) (T) (F)

 Item Type Width Height Thickness Finish

Example :


AFTR-T1(90 IR) - 200-50 -1.5 - HDG

AL FAREED STARS FACTORY CO.

CABLE TRUNKING FITTINGS SELECTION




Horizontal Cross - Cover on Top




Item Code / Part No.	Width (W)	Height (H)	Thickness (T)	Finish (F)
AFTR - T1/T2 (HC) - 50/H	50	50	1.0/1.2/1.5/2.0	MG HDG
AFTR - T1/T2 (90 HC) - 75/H	75	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 HC) - 100/H	100	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 HC) - 150/H	150	50/75/100/150	1.0/1.2/1.5/2.0	ALU. SS PC
AFTR - T1/T2 (90 HC) - 200/H	200	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 HC) - 250/H	250	50/75/100/150	1.0/1.2/1.5/2.0	Compt. (C)
AFTR - T1/T2 (90 HC) - 300/H	300	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (90 HC) - 400/H	400	50/75/100/150	1.0/1.2/1.5/2.0	1
AFTR - T1/T2 (90 HC) - 450/H	450	50/75/100/150	1.0/1.2/1.5/2.0	2
AFTR - T1/T2 (90 HC) - 500/H	500	50/75/100/150	1.0/1.2/1.5/2.0	3
AFTR - T1/T2 (90 HC) - 600/H	600	50/75/100/150	1.0/1.2/1.5/2.0	4
				5

Reducers - Top Cover



Item Code / Part No.	Width (W1)	Height (H)	Thickness (T)	Finish (F)	
AFTR - T1/T2 (W1-W2)/H	100	50/75/100/150	1.0/1.2/1.5/2.0	MG HDG	
	150				
	200	50/75/100/150	1.0/1.2/1.5/2.0		
	250				
	300	50/75/100/150	1.0/1.2/1.5/2.0		ALU. SS PC
	400				
	500				
	600				

45° Horizontal Bend/Elbow - Top Cover



Item Code / Part No.	Width (W)	Height (H)	Thickness (T)	Finish (F)
AFTR - T1/T2 (45HB) - 50/H	50	50	1.0/1.2/1.5/2.0	MG HDG
AFTR - T1/T2 (45HB) - 75/H	75	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45HB) - 100/H	100	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45HB) - 150/H	150	50/75/100/150	1.0/1.2/1.5/2.0	ALU. SS PC
AFTR - T1/T2 (45HB) - 200/H	200	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45HB) - 250/H	250	50/75/100/150	1.0/1.2/1.5/2.0	Compt. (C)
AFTR - T1/T2 (45HB) - 300/H	300	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45HB) - 400/H	400	50/75/100/150	1.0/1.2/1.5/2.0	1
AFTR - T1/T2 (45HB) - 450/H	450	50/75/100/150	1.0/1.2/1.5/2.0	2
AFTR - T1/T2 (45HB) - 500/H	500	50/75/100/150	1.0/1.2/1.5/2.0	3
AFTR - T1/T2 (45HB) - 600/H	600	50/75/100/150	1.0/1.2/1.5/2.0	4
				5

Ordering Guide


AFTR - T1(HC) - (W) - (H) - (T) - (F)
 ↑ ↑ ↑ ↑ ↑
 Item Type Width Height Thickness Finish

Example :

AFTR-T1(HC) - 200-50 -1.5 - HDG




45° Inside Riser - Cover inside



Item Code / Part No.	Width (W)	Height (H)	Thickness (T)	Finish (F)
AFTR - T1/T2 (45 IR) - 50/H	50	50	1.0/1.2/1.5/2.0	MG HDG
AFTR - T1/T2 (45 IR) - 75/H	75	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45 IR) - 100/H	100	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45 IR) - 150/H	150	50/75/100/150	1.0/1.2/1.5/2.0	ALU. SS PC
AFTR - T1/T2 (45 IR) - 200/H	200	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45 IR) - 250/H	250	50/75/100/150	1.0/1.2/1.5/2.0	Compt. (C)
AFTR - T1/T2 (45 IR) - 300/H	300	50/75/100/150	1.0/1.2/1.5/2.0	1
AFTR - T1/T2 (45 IR) - 400/H	400	50/75/100/150	1.0/1.2/1.5/2.0	2
AFTR - T1/T2 (45 IR) - 450/H	450	50/75/100/150	1.0/1.2/1.5/2.0	3
AFTR - T1/T2 (45 IR) - 500/H	500	50/75/100/150	1.0/1.2/1.5/2.0	4
AFTR - T1/T2 (45 IR) - 600/H	600	50/75/100/150	1.0/1.2/1.5/2.0	5

45° Outside Riser - Cover Outside



Item Code / Part No.	Width (W)	Height (H)	Thickness (T)	Finish (F)
AFTR - T1/T2 (45 OR) - 50/H	50	50	1.0/1.2/1.5/2.0	MG HDG
AFTR - T1/T2 (45 OR) - 75/H	75	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45 OR) - 100/H	100	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45 OR) - 150/H	150	50/75/100/150	1.0/1.2/1.5/2.0	ALU. SS PC
AFTR - T1/T2 (45 OR) - 200/H	200	50/75/100/150	1.0/1.2/1.5/2.0	
AFTR - T1/T2 (45 OR) - 250/H	250	50/75/100/150	1.0/1.2/1.5/2.0	Compt. (C)
AFTR - T1/T2 (45 OR) - 300/H	300	50/75/100/150	1.0/1.2/1.5/2.0	1
AFTR - T1/T2 (45 OR) - 400/H	400	50/75/100/150	1.0/1.2/1.5/2.0	2
AFTR - T1/T2 (45 OR) - 450/H	450	50/75/100/150	1.0/1.2/1.5/2.0	3
AFTR - T1/T2 (45 OR) - 500/H	500	50/75/100/150	1.0/1.2/1.5/2.0	4
AFTR - T1/T2 (45 OR) - 600/H	600	50/75/100/150	1.0/1.2/1.5/2.0	5

Ordering Guide

AFTR - T1 (45 IR) (W) (H) (T) (F)
 ↑ ↑ ↑ ↑ ↑
 Item Type Width Height Thickness Finish

Example :


AFTR-T1(45 IR) - 200-50 -1.5 - HDG



Horizontal Offset

Cover on Top

Part No. AFTR - T1 (VOS) W-H1-H2




Item Code / Part No.	Trunking Width (W)	Trunking Height (H1)	Thickness (T)
AFTR - T1 (VOS) - W- H1 - H2	50	50 mm	1.0 mm
	75	75 mm	1.2 mm
	100	100 mm	1.5 mm
	150	150 mm	2.0 mm
	200	Offset Height (H2)	Finish (F)
	250		
	300	50 mm	MG
	400	75 mm	HDG
	450	100 mm	ALU.
	500	150 mm	SS
	600	200 mm	PC

Horizontal Offset

Cover on Top

Part No. AFTR - T1 (HOS) W-H1-H2



Item Code / Part No.	Trunking Width (W)	Trunking Height (H1)	Thickness (T)
AFTR - T1 (HOS) - W- H1 - H2	50	50 mm	1.0 mm
	75		
	100	75 mm	1.2 mm
	150	100 mm	1.5 mm
	200	150 mm	2.0 mm
	250	Offset Height (H2)	Finish (F)
	300		
	350	50 mm	MG
	450	75 mm	HDG
	450	100 mm	ALU.
	500	150 mm	SS
600	200 mm		

Ordering Guide

AFTR - T1(VOS) (W) (H) (T) (F) (H2)
 ↑ ↑ ↑ ↑ ↑ ↑
 Item Type Width Height Thickness Finish O/H


Example :

AFTR- T1(VOS) - 200-50 -1.5 - HDG- 100



Standard Flat Connector


Part No. SC - AFTR - H



Part No./Item Type	Length	Thickness	Finish
SC - AFTR - 50H	100/180/200	1.0/1.2/1.5/2.0 mm	HDG
SC - AFTR - 60H	100/180/200	1.0/1.2/1.5/2.0 mm	MG
SC - AFTR - 75H	100/180/200	1.0/1.2/1.5/2.0 mm	ALU
SC - AFTR - 100H	100/180/200	1.0/1.2/1.5/2.0 mm	S/S
SC - AFTR - 150H	100/180/200	1.0/1.2/1.5/2.0 mm	PC
SC - AFTR - 200H	100/180/200	1.0/1.2/1.5/2.0 mm	

U - Connector


Part No. UC - AFTR - W - H




Item Code / Part No.	Height (H)	Thickness (T)
UC - AFTR - 50 W - H	50 mm	1.0 mm
UC - AFTR - 75 W x H	75 mm	1.2 mm
UC - AFTR - 100 W x H	100 mm	1.5 mm
UC - AFTR - 150 W x H	150 mm	2.0 mm
UC - AFTR - 200 W x H	200 mm	
UC - AFTR - 250 W x H	Length (L)	Finish (F)
UC - AFTR - 300 W x H	100 mm 180 mm 200 mm	MG
UC - AFTR - 400 W x H		HDG
UC - AFTR - 450 W x H		ALU.
UC - AFTR - 500 W x H		SS
UC - AFTR - 600 W x H		PC

Part No. EC - AFTR - W - H

End Cap




Part No. FC - AFTR - W - H



Part No. HGR - AFTR - W - H



Hanger





UNDER FLOOR CABLE TRUNKING (IN - SCREED TRUNKING)

TYPE: AF - UFTR



3 - Compartments

Item Code/ Part No.	Width (W)	Compartments (C)	Height (H)	Body Thickness (T1)	Cover Thickness (T2)
AF-UFTR(ST) - 150	150 mm	2C/ 3C (75 + 75)	28 mm	1.2 mm	1.2 mm
AF-UFTR(ST) - 225	225 mm	3C (75 + 75+75)		1.5 mm	1.5 mm
AF-UFTR(ST) - 250	250 mm	3C (75 + 100+75)	38 mm	2.0 mm	2.0 mm
AF-UFTR(ST) - 275	275 mm	3C (100 + 75+100)		3.0 mm	3.0 mm
AF-UFTR(ST) - 300	300 mm	3C (100 + 100+100)			
AF-UFTR(ST) - 325	325 mm	3C (110 + 105+110)	Length (L)	Finish (F)	
AF-UFTR(ST) - 400	400 mm	4C (100 + 100+ 100+100)	2.44 Mtr	MG : Mill Galvanized	
AF-UFTR(ST) - 406	406 mm	4C (102 + 101+ 101+102)	3.0 Mtr	HDG : Hot Dip Galvanized	

Ordering Guide

AF-UFTR(ST) (W) (C) (H) (T1/T2) (L) (F)


 Item Type Width Compt. Height Thickness Length Finish

Example :

AF-UFTR - 300-3-38-1.2/1.5-MG




90° Vertical Riser Bend




Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-UFTR(90 RB) - 150	150 mm	28 mm	MG
AF-UFTR(90 RB) - 225	225 mm		
AF-UFTR(90 RB) - 250	250 mm		
AF-UFTR(90 RB) - 275	275 mm		
AF-UFTR(90 RB) - 300	300 mm	38 mm	HDG
AF-UFTR(90 RB) - 325	325 mm	Thickness (T)	
AF-UFTR(90 RB) - 400	400 mm	1.2 mm	1
AF-UFTR(90 RB) - 406	406 mm	1.5 mm	2
		2.0 mm	3
		3.0 mm	4

90° Angle (Elbow)



Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-UFTR(90 HB) - 150	150 mm	28 mm	MG
AF-UFTR(90 HB) - 225	225 mm		
AF-UFTR(90 HB) - 250	250 mm		
AF-UFTR(90 HB) - 275	275 mm		
AF-UFTR(90 HB) - 300	300 mm	38 mm	HDG
AF-UFTR(90 HB) - 325	325 mm	Thickness (T)	
AF-UFTR(90 HB) - 400	400 mm	1.2 mm	1
AF-UFTR(90 HB) - 406	406 mm	1.5 mm	2
		2.0 mm	3
		3.0 mm	4


2 - Way Junction Box



Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-UFTR (2WJB) - 150	150 mm	28 mm	MG
AF-UFTR(2WJB) - 225	225 mm		
AF-UFTR(2WJB) - 250	250 mm		
AF-UFTR(2WJB) - 275	275 mm		
AF-UFTR(2WJB) - 300	300 mm	38 mm	HDG
AF-UFTR(2WJB) - 325	325 mm	Thickness (T)	
AF-UFTR(2WJB) - 400	400 mm	1.2 mm	1
AF-UFTR(2WJB) - 406	406 mm	1.5 mm	2
		2.0 mm	3
		3.0 mm	4




3 - Way Junction Box



Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-UFTR(3WJB) - 150	150 mm	28 mm	MG
AF-UFTR(3WJB) - 225	225 mm		
AF-UFTR(3WJB) - 250	250 mm		
AF-UFTR(3WJB) - 275	275 mm	38 mm	HDG
AF-UFTR(3WJB) - 300	300 mm	Thickness (T)	Compt.(C)
AF-UFTR(3WJB) - 325	325 mm	1.2 mm	1
AF-UFTR(3WJB) - 400	400 mm	1.5 mm	2
AF-UFTR(3WJB) - 406	406 mm	2.0 mm	3
		3.0 mm	4

4 - Way Junction Box



Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-UFTR(4WJB) - 150	150 mm	28 mm	MG
AF-UFTR(4WJB) - 225	225 mm		
AF-UFTR(4WJB) - 250	250 mm		
AF-UFTR(4WJB) - 275	275 mm	38 mm	HDG
AF-UFTR(4WJB) - 300	300 mm	Thickness (T)	Compt.(C)
AF-UFTR(4WJB) - 325	325 mm	1.2 mm	1
AF-UFTR(4WJB) - 400	400 mm	1.5 mm	2
AF-UFTR(4WJB) - 406	406 mm	2.0 mm	3
		3.0 mm	4


4 Way Box For Trunking and Conduit



Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF- FB (4WFB) - 300	300 mm	28 mm	MG
AF-UFTR(4WJB) - 325	325 mm		
AF-UFTR(4WJB) - 400	400 mm		
AF-UFTR(4WJB) - 406	406 mm	38 mm	HDG
		Thickness (T)	Compt.(C)
		1.2 mm	1
		1.5 mm	2
		2.0 mm	3
		3.0 mm	4




Joint Fix Connector




Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-UFTR - JFC - 150	150 mm	28 mm	MG HDG
AF-UFTR - JFC - 225	225 mm	38 mm	
AF-UFTR - JFC - 250	250 mm	50 mm	
AF-UFTR - JFC - 275	275 mm	100 mm	
AF-UFTR - JFC - 300	300 mm	Thickness (T)	Compt.(C)
AF-UFTR - JFC - 325	325 mm	1.2 mm	1
AF-UFTR - JFC - 400	400 mm	1.5 mm	2
AF-UFTR - JFC - 406	406 mm	2.0 mm	3
		3.0 mm	4

Conduit Connector



Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-UFTR(90 RB) - 150	150 mm	28 mm	MG HDG
AF-UFTR(90 RB) - 225	225 mm	38 mm	
AF-UFTR(90 RB) - 250	250 mm	50 mm	
AF-UFTR(90 RB) - 275	275 mm	100 mm	
AF-UFTR(90 RB) - 300	300 mm	Thickness (T)	Compt.(C)
AF-UFTR(90 RB) - 325	325 mm	1.2 mm	1
AF-UFTR(90 RB) - 400	400 mm	1.5 mm	2
AF-UFTR(90 RB) - 406	406 mm	2.0 mm	3
		3.0 mm	4

End Cap




Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-UFTR(90 RB) - 150	150 mm	28 mm	MG HDG
AF-UFTR(90 RB) - 225	225 mm	38 mm	
AF-UFTR(90 RB) - 250	250 mm	50 mm	
AF-UFTR(90 RB) - 275	275 mm	100 mm	
AF-UFTR(90 RB) - 300	300 mm	Thickness (T)	Compt.(C)
AF-UFTR(90 RB) - 325	325 mm	1.2 mm	1
AF-UFTR(90 RB) - 400	400 mm	1.5 mm	2
AF-UFTR(90 RB) - 406	406 mm	2.0 mm	3
		3.0 mm	4



FLUSH FLOOR CABLE TRUNKING (IN - SCREED TRUNKING)

Part No. AF - FFT(ST)



Item Code/ Part No.	Width (W)	Compartments (C)	Height (H)	Body Thickness (T1)	Cover Thickness (T2)
AF- FFT(ST) - 280	280 mm	3C (100 + 80 + 100)	65 mm	1.5 mm	3.0 mm
AF- FFT(ST) - 320	320 mm	3C (120 + 80 + 120)		2.0 mm	
AF- FFT(ST) - 340	340 mm	3C (127 + 86+127)			
			Length (L)	Finish (F)	
			1.2 Mtr	MG : Mill Galvanized	
			3.0 Mtr	HDG : Hot Dip Galvanized	

Ordering Guide

AF-FFT(ST) (W) (C) (H) (T1/T2) (L) (F)


 Item Type Width Compt. Height Thickness Length Finish

Example :

AF-FFT - 340-3-65-2.0/3.0-1.2 - MG




2 - Way Junction box (Elbow)




Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-FFT(2W - JB) - 280	280	65	MG
AF-FFT(2W - JB) - 320	320	75	
AF-FFT(2W - JB) - 340	340	85	HDG
Body Thickness (T)	Cover Thickness (T)		Compt.(C)
1.5 mm	2 mm		3
2 mm	3 mm		

3 - Way Junction box (Tee)



Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-FFT(3W - JB) - 280	280	65	MG
AF-FFT(3W - JB) - 320	320	75	
AF-FFT(3W - JB) - 340	340	85	HDG
Body Thickness (T)	Cover Thickness (T)		Compt.(C)
1.5 mm	2 mm		3
2 mm	3 mm		


4 - Way Junction box (Cross)



Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-FFT(4W - JB) - 280	280	65	MG
AF-FFT(4W - JB) - 320	320	75	
AF-FFT(4W - JB) - 340	340	85	HDG
Body Thickness (T)	Cover Thickness (T)		Compt.(C)
1.5 mm	2 mm		3
2 mm	3 mm		




90° Riser Bend




Item Code / Part No.	Width (W)	Height (H)	Finish (F)
AF-FFT(90 IR) - 280	280	65	MG HDG
AF-FFT(90 IR) - 320	320	75	
AF-FFT(90 IR) - 340	340	85	
Body Thickness (T)	Cover Thickness (T)		Compt.(C)
1.5 mm	2 mm		3
2 mm	3 mm		

Joint Connector



Item Code / Part No.	Length (L)	Height (H)	Finish (F)
AF-FFT(90 IR) - 280	200 mm	65 mm	MG HDG
AF-FFT(90 IR) - 320	Thickness(T)	75 mm	
AF-FFT(90 IR) - 340	1.5 mm	85 mm	
	2.0 mm		

End Cap for Flush Trunking



Item Code / Part No.	Length (L)	Height (H)	Finish (F)
AF-FFT(90 IR) - 280	200 mm	65 mm	MG HDG
AF-FFT(90 IR) - 320	Thickness(T)	75 mm	
AF-FFT(90 IR) - 340	1.5 mm	85 mm	
	2.0 mm		




FLOOR BOX

TYPE : AF - FB 1

Size : 270 mm W x 270 mm L x 80 mm H

(Note : Other heights also available upon request)





FLOOR BOX

TYPE: AF - FB 2

Size : 220 mm W x 310 mm L x 65 mm H

(Note : Other heights also available upon request)



FLOOR BOX

TYPE: AF - FB 3

Size : 200 mm W x 340 mm L x 100 mm H

(Note : Other heights also available upon request)



AL FAREED STARS FACTORY CO.

For Metal Industries and Cable Support System

Address :

P.O. BOX 355803, Riyadh 11383

Street 59, Modon Industrial City

Al Kharj, Kingdom of Saudi Arabia.

Tel : +966 11 542 0047

E-mail : info@alfareedstars.com